

LIST OF FIGURES

Figure	Title	Page
4-1	US Refined Products Demand, 1997-2006	4-10
4-2	Canadian Refined Products Demand, 1997-2006	4-17
4-3	Latin American Refined Products Demand, 1996-2005	4-20
4-4	Mexican Refined Products Demand, 1997-2006	4-21
4-5	OECD European Refined Products Demand, 1999-2008	4-27
4-6	Euro Big Four Refined Products Demand, 1997-2006	4-28
4-7	Non-OECD European Refined Products Demand, 1996-2005	4-36
4-8	FSU Refined Products Demand, 1996-2005	4-37
4-9	Middle Eastern Refined Products Demand, 1996-2005	4-44
4-10	African Refined Products Demand, 1996-2005	4-50
4-11	Asian Refined Products Demand, 1996-2005	4-56
4-12	Chinese Refined Products Demand, 1999-2008	4-58
4-13	Japanese Refined Products Demand, 1997-2006	4-61
4-14	Product Yields from Various Steam Cracker Feedstocks, wt%	4-78
4-15	Spot Prices for Chemical- and Polymer-grade Propylene	4-80
7-1	Benzene Conversion for FCC Catalysts with Varying Hydrogen Transfer Indices	7-5
7-2	Sulfur Content by 10 vol% Fraction of a 500-ppm FCC Gasoline	7-10
7-3	Effect of Metals on FCC Gasoline Sulfur	7-13
7-4	Effect of Bottom Cracking Additive on FCC Gasoline Sulfur	7-15
7-5	Effect of Reactor Temperature on FCC Naphtha Sulfur Reduction	7-16
7-6	Effect of Cat-to-oil Ratio on FCC Naphtha Sulfur Reduction	7-17
7-7	FCC Gasoline Olefins & Octane	7-25
7-8	Frequently Occuring FCC Process R&D Topics to Reduce Gasoline Sulfur (2003-2008)	7-67
7-9	Frequently Occuring FCC Process R&D Topics to Reduce FCC Gasoline Olefins (2003-2008)	7-67
7-10	Frequently Occuring FCC Catalyst R&D Topics To Reduce Gasoline Sulfur (2003-2008)	7-69
7-11	Effect of Zeolite Content on Light Cycle Oil Yield	7-107
7-12	Worldwide Propylene Supply 2006, 68MM MT	7-120
7-13	Regional Incremental Ethylene and Propylene Demand, 2007-2020	7-121
7-14	KBR's Superflex Process	7-125
7-15	Typical ACO Flow Scheme	7-127
7-16	Flow Schematic of Shell Global Solution's MILOS Process	7-137
7-17	FD FCC with Common Disengager and Fractionator	7-139
7-18	FD FCC with Separate Disengagers and Fractionators	7-139
7-19	Basic Reactions of Nitrogen Species During Oxidative Regeneration of FCC Catalysts	7-171
7-20	Correlation between NO _x Emissions and CO Combustion	7-172
7-21	Correlation between NO _x Emissions and Excess Oxygen	7-172
7-22	Correlation between NO _x Emissions and Afterburn	7-173
7-23	Chemical Reactions Involving an SO _x Additive in the FCCU	7-177
7-24	Decay of SO _x Additive Activity	7-179
7-25	Engelhard Model Study of Required and Actual Levels of SO _x Removal	7-180
7-26	Particulate Emissions (Opacity) and Charging Rate	7-183
7-27	Third-stage Separator in FCCU	7-184
7-28	KBR Countercurrent Regeneration	7-186
7-29	Relative NO _x for Different Regenerator Designs	7-187
7-30	NO _x Emissions from Grassroots KBR Orthoflow FCC with Low NO _x Spent Catalyst Distributor	7-188
7-31	UOP Combustor Regenerator and Conventional Bubbling Bed Regenerator	7-190
7-32	NO _x Emissions: Bubbling Bed vs. Combustor Regenerators	7-190
7-33	Dupont Belco EDV Wet Scrubbing System	7-191
7-34	Dupont Belco EDV Purge Treatment Unit	7-192

Figure	Title	Page
7-35	Dupont Belco LABSORB Process	7-194
7-36	ExxonMobil Wet Gas Scrubbing Process	7-197
7-37	DynaWave Reverse Jet Scrubber	7-198
7-38	DynaWave/THIOPAQ Integrated Process for SO _x Removal	7-199
7-39	TSS Configuration for Protection of Turbine Expander	7-201
7-40	KBR Cyclofines TSS	7-202
7-41	Shell Global Solutions TSS/FSS for Treating FCC Flue Gas	7-204
7-42	Shell TSS/FSS Catalyst Flows at UK Refinery	7-204
7-43	TSS Designs from UOP and Shell Global Solutions	7-206
7-44	Configuration of EDV Scrubber Pre-modified for LoTO _x	7-208
7-45	Configuration of EDV Scrubber Post-modified for LoTO _x	7-208
7-46	NO _x Emissions with and without NO _x GETTER	7-213
7-47	Emissions Mitigation Patents and Research Topic Occurrence (2003-2008)	7-246
7-48	Resid Fluid Catalytic Cracking Global Capacity	7-251
7-49	Mechanism for Vanadium Deactivation	7-256
7-50	High-fouling Areas in FCC Slurry Exchanger Network	7-265
7-51	KBR Orthoflow RFCC Technology	7-270
7-52	Petrobras PAC RFCC Schematic	7-272
7-53	Shaw Stone & Webster/Axens R2R RFCC Technology	7-274
7-54	Axens Petroriser RFCC Technology	7-276
7-55	Schematic of Shaw Stone & Webster MTC Technology	7-282
7-56	Reactor Separator-Stripper Termination Device	7-285
7-57	Orthoflow vs. Regenmax Regenerator Technologies	7-289
7-58	Typical RFCC Catalyst Structure	7-293
7-59	Impacts of Decrease in AAI on Bottoms Cracking	7-295
7-60	Two Approaches to Alleviating Loss of Accessibility in Resid Cracking Catalysts	7-296
7-61	Zeolite Activity as a Function of HTI and AAI	7-297
7-62	SMR Provides Greater Resistance to Zeolite Destruction by Vanadium	7-299
7-63	SMR Decreases the Dehydrogenation Activity of Nickel on Catalyst	7-300
7-64	PROvantage-R Performance Data	7-306
7-65	The MagnaCat Separator	7-333
7-66	Conversion of DAO as a Function of Cat-to-oil Ratio	7-341
7-67	Multi-reactor, Divided-Wall Fractionator FCC Scheme	7-343
7-68	RFCC Process Incorporating Adsorbent Particles	7-345
7-69	IFP/Total Distributive Rings for Improved Feed/Catalyst Mixing	7-346
7-70	RFCC Patents and Research Topic Occurrence (2003-2008)	7-360
7-71	Topic Occurrence in RFCC Process Developments (2003-2008)	7-361
7-72	Relative Emphasis: RFCC Bulk Catalysts vs. Additives (2003-2008)	7-363
7-73	RFCC Bulk Catalyst R&D Topic Occurrence (2003-2008)	7-364
7-74	Refinery CO ₂ Emissions	7-373
7-75	Effect of LCO Yield on Coke Yield	7-376
7-76	Effect of Fuel Molecular Weight on CO ₂ Emissions	7-377
7-77	Preheating Process for FCC Regenerator Air	7-378
7-78	Overview for Pre-combustion Carbon Capture	7-382
7-79	IntegrateD CO ₂ Reforming Scheme	7-385
7-80	FCC Syngas Production	7-387
7-81	Low-carbon Emission FCC Regeneration Process	7-388
7-82	Preheating Process Incorporating Spent Catalyst Recycle	7-390
7-83	Membrane Water Gas Shift	7-394
7-84	Oxyfiring Overview	7-396
7-85	Chemical Looping Combustion	7-398
7-86	Alstom Metal Oxide Catalyst Regeneration Process	7-400

Figure	Title	Page
7-87	Post-combustion Overview	7-401
7-88	Alstom Chilled Ammonia Process	7-407
7-89	Econamine FG Process	7-408
7-90	KM-CDR CO ₂ Removal Process	7-410
7-91	Powerspan ECO ₂ CO ₂ Removal Process	7-411
7-92	CO ₂ Hydrate Formation Process	7-414
7-93	SIMTECHE Hydrate CO ₂ Capture Process	7-414
7-94	CO ₂ Temperature Swing Adsorption Unit	7-415
7-95	CO ₂ Pressure Swing Adsorption Unit	7-416
7-96	Carbozyme Membrane Technology	7-421
7-97	Membrane CO ₂ Separation Process	7-422
7-98	Polyvinylamine Fixed-site Membrane	7-423
7-99	Carbonation-Calination CO ₂ Capture Cycle	7-425
7-100	US Biofeeds Available for Fuel Production	7-435
7-101	Typical Lignin Structures	7-436
7-102	Triglyceride Structure	7-438
7-103	Some Vegetable Oil Compositions	7-438
7-104	Lignocellulosic Feed Separation Scheme	7-441
7-105	FCC Gas Yields for VGO/Glycerol Blends at 70% Conversion	7-444
7-106	FCC GAS Yields for VGO/glycerol Blends at 80% conversion	7-444
7-107	Crackability Comparison for BTL Wax and VGO	7-449
7-108	Coke Yield Comparison for BTL Wax and VGO	7-450
7-109	Composition of Gasoline from BTL Wax	7-451
7-110	Proposed Reaction Pathway for the Catalytic Cracking of Triglycerides	7-454
7-111	Capital Cost Comparison for FCC Triglyceride Upgrading	7-456
7-112	Environmental Impact Score for FCC Triglyceride Upgrading	7-457
7-113	LCA Carbon Emissions Comparison for Various Fuels	7-457
7-114	Duel FCC Reactor Configuration for VGO and Vegetable Oils	7-458
7-115	Suggested Initial Cracking Mechanism for Canola Oil	7-460
7-116	Effect of HZSM-5 Potassium Impregnation on Upgrading Palm Oil	7-463
7-117	Effect Of Triglyceride Blending on FCC Coke Yield	7-467
7-118	Optimized FCCU Pumparound Configuration	7-477
7-119	Traditional Power Recovery train	7-479
7-120	Gen Set Power Recovery Train	7-479
7-121	Power Generation Scheme	7-482
7-122	ExxonMobil/KBR Go-Fining Process	7-494
7-123	Haldor Topsøe Aroshift Process	7-496
7-124	Axens Prime-G+ for ULSG	7-508
7-125	ExxonMobil/KBR SCANfining Process	7-510
7-126	ExxonMobil/Merichem EXOMER Process	7-511
7-127	Single-Stage UOP/PDVSA SelectFining Process	7-513
7-128	CDHydro/CDHDS for Full-range Gasoline	7-515
7-129	ExxonMobil/KBR OCTGAIN Process	7-517
7-130	UOP/PDVSA ISAL Process	7-520
7-131	CDHydro for Saturating Reformate Benzene	7-521
7-132	UOP BenSat Process	7-522
7-133	Albermarle UD-HDS	7-545
7-134	Albermarle HDAr	7-546
7-135	Axens Prime-D Flowscheme	7-548
7-136	Haldor Topsøe HDS/HDA Process for Distillate Hydrotreating	7-551
7-137	RIPP Single-Stage Hydrotreating Process	7-552
7-138	Lummus Cocurrent/Countercurrent Reactor System	7-554

Figure	Title	Page
7-139	Shell Middle Distillate Hydrogenation (SMDH) Process	7-557
7-140	UOP Two-Stage MQD Unionfining Process	7-558
7-141	UOP Unisar Process	7-560
7-142	Shaw Group REDAR Process	7-605
7-143	SK Corp. HDS Pretreatment Process	7-607
7-144	CB&I Howe Baker Hydrotreating Process	7-611
7-145	DuPont IsoTherming Process	7-612
7-146	ExxonMobil/KBR HYDROFINING/DODD	7-614
7-147	Haldor Topsøe Hydrotreating Process for Various Feeds	7-615
7-148	JGC Unitized Smart Tailored Refinery	7-617
7-149	Neste Oil NExSAT Process	7-618
7-150	Haldor Topsøe Vapor Lift Distribution Tray	7-624
7-151	Axens's Hyvahl Process with PRS	7-629
7-152	Chevron Lummus Global's RDS/VRDS Process	7-631
7-153	PetroFina Refinery with Installed RDS Unit	7-633
7-154	Chevron Lummus Global's OCR/VRDS and ISOCRACKING Units	7-635
7-155	Lower Catalyst Consumption with OCR and RDS Integration	7-636
7-156	SROH Flow Diagram	7-638
7-157	UOP RCD Unionfining	7-639
7-158	Petrobras H-Bio Diesel Refining Process	7-654
7-159	CETC SUPERCETANE Process	7-658
7-160	Process Flow Diagram for NExBTL	7-661
7-161	Syntroleum Bio-Synfining Staged BTL Process	7-666
7-162	UOP/Eni Ecofining Process Flow Scheme	7-668
7-163	Axens HYC-10 Mild Hydrocracking Process	7-719
7-164	Axens HyK-HC High-Pressure Hydrocracking Process	7-721
7-165	Axens H-OilDC	7-723
7-166	Chevron Single-Stage Once-Through ISOCRACKING	7-724
7-167	Chevron TSR Isocracking	7-725
7-168	CLG Optimized Partial Conversion	7-728
7-169	CLG Mild Hydrocracking with ISOFLEX	7-730
7-170	ExxonMobil Single-Stage Once-Through MPHIC	7-731
7-171	ExxonMobil MPHIC-LCO Process	7-733
7-172	ExxonMobil MPHIC-MIDW Process Flow	7-735
7-173	Shell Single- and Two-Stage Hydrocracking Processes	7-737
7-174	Sinopec Flexible Hydrotreating/Mild Hydrocracking	7-738
7-175	Sinopec Medium-Pressure Hydro-Upgrading	7-739
7-176	UOP SSR Unicracking Process	7-742
7-177	UOP Partial-Conversion Unicracking Schemes	7-744
7-178	UOP LCO Unicracking	7-746
7-179	UOP HyCycle Unicracking	7-748
7-180	UOP Advanced Partial Conversion Unicracking	7-749
7-181	ExxonMobil MPHIC-PTU	7-792
7-182	Shell's Hycon Process	7-797
7-183	Axens H-OilRC	7-799
7-184	CLG's LC-Fining Process	7-804
7-185	LC-FINING with Integrated Hydrotreating	7-805
7-186	ExxonMobil's MICROCAT-RC Process Integrated with a Hydrotreater	7-809
7-187	Headwater's (HC) ₃ Process Integrated with a Hydrotreater	7-812
7-188	Asphaltenes and Resid Conversion with (HC) ₃ and Supported Catalysts	7-812
7-189	Intevep's HDH Process	7-815
7-190	Intevep/PDVSA HDHPLUS Process	7-816

Figure	Title	Page
7-191	Kobe Steel/Syncrude Canada SPH Process	7-817
7-192	UOP SRC Uniflex Process	7-820
7-193	Veba's Vcc Reactor Integrated with a Hydrotreater	7-822
7-194	Iowa State Flow Scheme for Bio-Oil Production and Hydrocracking to Diesel	7-843
7-195	UOP Dieselmax	7-869
9-1	Interrelationship between FCC, Hydrotreating, and Hydrocracking	9-3
9-2	Timeline of Events Affecting Global Refiners	9-44