

---

# WORLDWIDE REFINERY PROCESSING REVIEW

*Monitoring Technology Development and Competition in One Single Source*

---

## Second Quarter 2010

### *Hydrotreating*



**HYDROCARBON PUBLISHING COMPANY**

*Translating Knowledge into Profitability<sup>SM</sup>*

P.O. Box 661 Southeastern, PA 19399 (U.S.A.)

Phone: (610) 408-0117/ Fax: (610) 408-0118

[Review@Hydrocarbonpublishing.com](mailto:Review@Hydrocarbonpublishing.com)

# 2Q 2010 Review

## Hydrotreating

### 1. Introduction

### 2. Hydrotreating

- 2.1 MARKET/TECHNOLOGY TRENDS & OPPORTUNITIES
  - 2.1.1 *Introduction*
  - 2.1.2 *Market Conditions and Outlook*
    - 2.1.2.1 Refined Products Legislation
    - 2.1.2.2 Fuel Demand
    - 2.1.2.3 Increasing Middle Distillate Production
    - 2.1.2.4 Capacity Expansion
    - 2.1.2.5 Hydrogen Demand
    - 2.1.2.6 Construction Projects and Unit Revamps
    - 2.1.2.7 Hydrotreating Catalysts Market
  - 2.1.3 *Technology Competition, Directions, and Future Prospects*
    - 2.1.3.1 Conventional Hydrotreating
    - 2.1.3.2 Resid Hydrotreating
    - 2.1.3.3 Renewable Feed Hydrotreating
  - 2.1.4 *Conclusion*
- 2.2 STATE-OF-THE-ART TECHNOLOGY
  - 2.2.1 *Introduction*
  - 2.2.2 *Commercial Catalysts and Guard Materials*
    - 2.2.2.1 Advanced Refining Technologies
      - 2.2.2.1.1 SmART
      - 2.2.2.1.2 ApART
    - 2.2.2.2 Albemarle
      - 2.2.2.2.1 STARS Series
      - 2.2.2.2.2 NEBULA Series
      - 2.2.2.2.3 Combined Implementation
      - 2.2.2.2.4 KF 901, KF 902, KF 905, KF 859
      - 2.2.2.2.5 KF 200
      - 2.2.2.2.6 Guard Catalysts
    - 2.2.2.3 Axens
      - 2.2.2.3.1 HR 400 Series
      - 2.2.2.3.2 HR 500 Series
      - 2.2.2.3.3 AX 740 Hydrogenation Catalysts
      - 2.2.2.3.4 ACT Grading Materials
    - 2.2.2.4 BASF
    - 2.2.2.5 Catalysts & Chemicals Industries
    - 2.2.2.6 Chevron Lummus Global
    - 2.2.2.7 Cosmo Oil
    - 2.2.2.8 Criterion Catalysts & Technologies
      - 2.2.2.8.1 CENTINEL
      - 2.2.2.8.2 CENTINEL GOLD
      - 2.2.2.8.3 ASCENT
      - 2.2.2.8.4 CENTERA
      - 2.2.2.8.5 SDD-800/SDD-821
    - 2.2.2.9 Crystaphase Products

- 2.2.2.10 ExxonMobil
  - 2.2.2.10.1 RT-225
  - 2.2.2.10.2 OCTGAIN Catalysts
- 2.2.2.11 Haldor Topsøe
  - 2.2.2.11.1 Coker Naphtha Hydrotreating
  - 2.2.2.11.2 FCC Feed Pretreat
  - 2.2.2.11.3 ULSD Production
  - 2.2.2.11.4 Reduction of Diesel Density and Aromatics
  - 2.2.2.11.5 Hydrocracker Pretreating
  - 2.2.2.11.6 Graded Bed Products for Pressure Drop Control
- 2.2.2.12 Johnson Matthey Catalysts
- 2.2.2.13 Nippon Oil
- 2.2.2.14 Orient Catalyst/Advanced Refining Technologies
- 2.2.2.15 Sinopec
- 2.2.2.16 Süd-Chemie
- 2.2.2.17 TRICAT Inc.
  - 2.2.2.17.1 Guardian Catalyst Grading Bed Materials
- 2.2.2.18 UOP
- 2.2.3 *Summary of Commercially Available Hydrotreating Catalysts*
- 2.2.4 *Auxiliary Catalyst Technology*
  - 2.2.4.1 Advanced Refining Technologies
    - 2.2.4.1.1 Phoenix
  - 2.2.4.2 Albemarle
    - 2.2.4.2.1 EasyActive
    - 2.2.4.2.2 REACT
    - 2.2.4.2.3 STAX
  - 2.2.4.3 Axens
    - 2.2.4.3.1 Catapac
  - 2.2.4.4 Criterion Catalysts & Technologies
    - 2.2.4.4.1 ENCORE Revitalization Technology
  - 2.2.4.5 Eurecat
    - 2.2.4.5.1 Sulficat
    - 2.2.4.5.2 Totsucat
  - 2.2.4.6 Haldor Topsøe
    - 2.2.4.6.1 ReFRESH
  - 2.2.4.7 Orient Catalyst/Advanced Refining Technologies
  - 2.2.4.8 Oxford Catalysts
  - 2.2.4.9 TRICAT Inc.
    - 2.2.4.9.1 TRICAT Regeneration Process
    - 2.2.4.9.2 XpresS
- 2.2.5 *Commercial Process Technology*
  - 2.2.5.1 Albemarle
    - 2.2.5.1.1 UD-HDS
    - 2.2.5.1.2 HDAr
    - 2.2.5.1.3 Cold Flow Improvement
    - 2.2.5.1.4 PLEX Reactor Internals
  - 2.2.5.2 Axens
    - 2.2.5.2.1 Prime-G+
    - 2.2.5.2.2 Prime-D
    - 2.2.5.2.3 Benzene Saturation
    - 2.2.5.2.4 EquiFlow Reactor Internals
  - 2.2.5.3 Catalysts & Chemicals Industries

- 2.2.5.4 Catalytic Distillation Technologies
  - 2.2.5.4.1 CDHydro
  - 2.2.5.4.2 CDHydro/CDHDS
- 2.2.5.5 CB&I Howe-Baker
- 2.2.5.6 Chevron Lummus Global
- 2.2.5.7 DuPont Clean Technologies
- 2.2.5.8 ExxonMobil Research & Engineering/KBR
  - 2.2.5.8.1 GO-Fining
  - 2.2.5.8.2 HYDROFINING/Diesel Oil Deep Desulfurization (DODD)
  - 2.2.5.8.3 SCANfining
  - 2.2.5.8.4 OCTGAIN
  - 2.2.5.8.5 MIDW
- 2.2.5.9 Fushun Research Institute of Petroleum and Petrochemicals (Sinopec)
  - 2.2.5.9.1 FHI Diesel Hydro-upgrading/Isodewaxing Process
  - 2.2.5.9.2 FRS
  - 2.2.5.9.3 OTA
  - 2.2.5.9.4 OCT-M
- 2.2.5.10 Haldor Topsøe
  - 2.2.5.10.1 Conventional Hydrotreating
  - 2.2.5.10.2 Coker Naphtha Hydrotreating
  - 2.2.5.10.3 Distillate HDS/HDA
  - 2.2.5.10.4 Diesel Dewaxing
  - 2.2.5.10.5 Aroshift
  - 2.2.5.10.6 Reactor Internals
- 2.2.5.11 Instituto Mexicano del Petróleo
- 2.2.5.12 JGC
- 2.2.5.13 Lummus Technology/Criterion Catalysts & Technologies/Shell Global Solutions
  - 2.2.5.13.1 SynSat
  - 2.2.5.13.2 SynShift
  - 2.2.5.13.3 SynFlow
  - 2.2.5.13.4 CC Deep SynHDS
  - 2.2.5.13.5 SMDH
  - 2.2.5.13.6 Reactor Internals
- 2.2.5.14 MOL
- 2.2.5.15 Neste Oil
- 2.2.5.16 Nippon Oil
- 2.2.5.17 RIPP
- 2.2.5.18 SK Corp.
- 2.2.5.19 Shaw Group/BASF
- 2.2.5.20 UOP
  - 2.2.5.20.1 MQD Unionfining
  - 2.2.5.20.2 VGO Unionfining
  - 2.2.5.20.3 ISAL
  - 2.2.5.20.4 SelectFining
  - 2.2.5.20.5 BenSat
  - 2.2.5.20.6 Unisar
  - 2.2.5.20.7 Unicracking/DW
  - 2.2.5.20.8 UltraMix Reactor Internals
- 2.2.6 *Summary of Hydrotreating Process Technologies*
- 2.2.7 *Commercially Available Advanced Control and Optimization Systems*
  - 2.2.7.1 Aspen Technology
  - 2.2.7.2 Axens
  - 2.2.7.3 KBC Advanced Technologies

- 2.2.7.4 Repsol YPF
- 2.2.8 *Resid Hydrotreating*
- 2.2.9 *Coprocessing of Renewable Feed with Conventional Petroleum Feed*
  - 2.2.9.1 Albemarle
  - 2.2.9.2 BP
  - 2.2.9.3 ConocoPhillips
  - 2.2.9.4 Haldor Topsøe
  - 2.2.9.5 Neste Oil
  - 2.2.9.6 Petrobras
  - 2.2.9.7 Repsol YPF
  - 2.2.9.8 UOP/Eni
- 2.2.10 *Summary of Renewable Feed Hydrotreating*
- 2.3 PLANT OPERATIONS AND PRACTICES
  - 2.3.1 *General Hydrotreating Operations*
    - 2.3.1.1 Feed Considerations, Process Configuration, and Hardware
      - 2.3.1.1.1 Feedstock Characterization
      - 2.3.1.1.2 Feed Drum Blanketing Gas
      - 2.3.1.1.3 Reactor Configuration
      - 2.3.1.1.4 Limitations of Single Bed or Undersized ULSD Reactors
      - 2.3.1.1.5 Minimize Fouling of Reactor Internals
      - 2.3.1.1.6 Twisted Tube Exchanger Bundles for Preheat Service
    - 2.3.1.2 Catalyst Management
      - 2.3.1.2.1 In-situ Catalyst Sulfiding vs. Ex-situ Presulfiding
      - 2.3.1.2.2 Comparison of Various Sulfiding Agents
      - 2.3.1.2.3 Measuring Hydrotreating Catalyst Activity
      - 2.3.1.2.4 Using Regenerated Catalyst
      - 2.3.1.2.5 Catalyst Dense Loading
      - 2.3.1.2.6 Protecting HT Catalysts from Contamination
      - 2.3.1.2.7 Catalyst Deactivation by Carbon Monoxide in Selective HDS Units
      - 2.3.1.2.8 Dry Dump vs. Wet Dump Catalyst Change-out Procedures
    - 2.3.1.3 Operating Conditions and Hydrogen Consumption
      - 2.3.1.3.1 Effect of Process Severity/Variables on Hydrotreater Performance
      - 2.3.1.3.2 Using High-purity Hydrogen and/or Adjusting Hydrogen Partial Pressure
      - 2.3.1.3.3 Optimizing the Hydrogen-to-oil Ratio
      - 2.3.1.3.4 Accurately Measuring Hydrogen Consumption in Hydrotreaters
    - 2.3.1.4 Operational Monitoring and Upset Detection
      - 2.3.1.4.1 Process Analyzer Placement
      - 2.3.1.4.2 Reactor Effluent Sampling
      - 2.3.1.4.3 Accurate Level Measurements in a Cold High Pressure Separator
      - 2.3.1.4.4 Maldistribution in Hydrotreaters
      - 2.3.1.4.5 Reactor Pressure Drop Buildup: Causes and Remedies
      - 2.3.1.4.6 Detecting and Mitigating Leaks in Equipment
      - 2.3.1.4.7 Ammonium Chloride Fouling in Effluent Exchangers and H<sub>2</sub> Gas Compressors
    - 2.3.1.5 Best Practices and Troubleshooting
      - 2.3.1.5.1 Reviewing and Updating Unit Operating Procedures
      - 2.3.1.5.2 Criteria for Selecting Remote Manual and/or Auto Depressuring Equipment and Instrumentation
      - 2.3.1.5.3 Interruption of Operations (Emergency or Planned) and Recommended Actions
      - 2.3.1.5.4 Minimizing Exposure Risks during Reactor Shutdowns
      - 2.3.1.5.5 Preventing Flaring during Unit Startup or Shutdown Procedures

- 2.3.2 *Distillate Hydrotreating*
  - 2.3.2.1 Diesel Quality Requirements
    - 2.3.2.1.1 Cetane
    - 2.3.2.1.2 ULSD Cold Flow Properties
    - 2.3.2.1.3 Logistics
  - 2.3.2.2 Hardware Considerations
    - 2.3.2.2.1 Adjusting Hydrotreater Internals to Improve Diesel Production
    - 2.3.2.2.2 Using Advanced-phase Separation Techniques
    - 2.3.2.2.3 Determining Sufficient Reserve Quench in ULSD Hydrotreaters
  - 2.3.2.3 Catalyst Management
  - 2.3.2.4 Feed Considerations
    - 2.3.2.4.1 Options for Converting FCC LCO to ULSD
    - 2.3.2.4.2 Processing Distillate and Naphtha Blends in a Diesel Hydrotreater
  - 2.3.2.5 Process Monitoring
    - 2.3.2.5.1 Calculating Diesel Cetane Number from a Diesel Hydrotreater
  - 2.3.2.6 Revamps for ULSD Production
    - 2.3.2.6.1 Case Study 1
    - 2.3.2.6.2 Case Study 2
    - 2.3.2.6.3 Case Study 3
    - 2.3.2.6.4 Case Study 4
    - 2.3.2.6.5 Case Study 5
    - 2.3.2.6.6 Case Study 6
  - 2.3.2.7 Ultra Low Sulfur Kerosene Production
- 2.3.3 *Naphtha Hydrotreating*
  - 2.3.3.1 Processing Coker and Visbreaker Naphtha
  - 2.3.3.2 Hydrotreating FCC Naphtha—Octane Loss and Other Problems
- 2.3.4 *Gas Oil Hydrotreating*
  - 2.3.4.1 Modifying a FCC Feed Pretreater to Increase Yield of Diesel
  - 2.3.4.2 Impact of Feed Hydrotreatment on FCC Product Aromatics Content
  - 2.3.4.3 FCC Feed Pretreatment vs. FCC Gasoline HDS
  - 2.3.4.4 Reducing the Endpoint in Gas Oil Hydrotreaters
  - 2.3.4.5 Hydrotreating Heavy Coker Gas Oil
  - 2.3.4.6 Improved Operation of a VGO Hydrotreater
- 2.4 REFINING R&D ALERT!
  - 2.4.1 *Introduction*
  - 2.4.2 *Naphtha Hydrotreating*
    - 2.4.2.1 Process
      - 2.4.2.1.1 Patents
      - 2.4.2.1.2 Research
    - 2.4.2.2 Catalyst
      - 2.4.2.2.1 Patents
      - 2.4.2.2.2 Research
  - 2.4.3 *Middle Distillate Hydrotreating (Including ULSD Production)*
    - 2.4.3.1 Process
      - 2.4.3.1.1 Patents
      - 2.4.3.1.2 Research
    - 2.4.3.2 Catalyst
      - 2.4.3.2.1 Patents
      - 2.4.3.2.2 Research
  - 2.4.4 *LCO/SRGO Hydrotreating*
    - 2.4.4.1 Process
      - 2.4.4.1.1 Patents
    - 2.4.4.2 Catalyst

- 2.4.4.2.1 Research
- 2.4.5 *Resid Hydrotreating*
  - 2.4.5.1 Process
    - 2.4.5.1.1 Patents
    - 2.4.5.1.2 Research
  - 2.4.5.2 Catalyst
    - 2.4.5.2.1 Patents
    - 2.4.5.2.2 Research
- 2.4.6 *Renewable Feed Hydrotreating*
  - 2.4.6.1 Process
    - 2.4.6.1.1 Patents
    - 2.4.6.1.2 Research
  - 2.4.6.2 Catalyst
    - 2.4.6.2.1 Patents
    - 2.4.6.2.2 Research
- 2.4.7 *General Hydrotreating*
  - 2.4.7.1 Process
    - 2.4.7.1.1 Patents
    - 2.4.7.1.2 Research
  - 2.4.7.2 Catalyst
    - 2.4.7.2.1 Patents
    - 2.4.7.2.2 Research
- 2.5 WORLDWIDE INSTALLED CAPACITY
- 2.6 CONSTRUCTION
  - 2.6.1 *Recent Construction Activity*
  - 2.6.2 *Completed Construction Projects*
- 2.7 REFERENCES